



RF Explorer®

RF Explorer Suite for Windows Release Notes v3.27

Compatible with Windows 8, 10, 11 – 32/64bits

Spectrum Analyzer Standard Firmware Version 1.34

Spectrum Analyzer Plus Firmware Version 3.45

Spectrum Analyzer ProAudio 3.08

Signal Generator Firmware Version 1.34

RF Explorer®

RF Explorer is an affordable Handheld Spectrum Analyzer with a growing list of features.

*This little powerful unit is the tool you need
to reduce the implementation time and cost
of your next wireless project.*

Updates of the RF Explorer User Manual are [available online](#).



Please consider the environment before printing this document.

RF Explorer for Windows Suite contents

This software package includes comprehensive set of tools to get the best capabilities of your RF Explorer device:

- **RF Explorer Touch**

Recommended software package to handle all functions of the Spectrum Analyzer.

For more details visit www.rf-explorer.com/touch

- **RF Explorer PC Client**

Recommended software package to handle Tracking SNA. It can also be used for Spectrum Analyzer basic functions.

For more details visit j3.rf-explorer.com/windows

Note: *We recommend using the **RF Explorer Touch** application instead.*

The RF Explorer for Windows application is currently in Maintenance Mode and no longer receives updates or enhancements.

In contrast, RF Explorer Touch offers all new developments and is compatible with touch screens, as well as standard mouse and keyboard setups on any Windows computer.

Visit the [RF Explorer Touch](http://www.rf-explorer.com/touch) page for additional details.

- **RF Explorer Preset Manager**

Provides support to store and update different configuration presets in RF Explorer Spectrum Analyzers

For more details visit www.rf-explorer.com/preset

- **RF Explorer Generator Tool**

Provides support for RF Explorer Signal Generator in a compact, easy to use tool.

For more details visit www.rf-explorer.com/rfgenhelp

In addition, the RF Explorer Touch and RF Explorer for Windows tools include internal firmware upgrade capabilities. Firmware Upgrade can also be achieved by using the external RF Explorer Firmware Upgrade tool.

For more details visit rf-explorer.com/upgrade

License

RF Explorer software and embedded firmware is copyrighted © by RF Explorer Technologies SL, 2010-2026

RF Explorer is a registered trademark worldwide.

License and registration

This software requires registration and internet connection.

You must provide a valid registration email to receive an activation code for your computer. If you do not receive a valid email, check your spam folder.

Software registration is now possible by email, useful if your computer is behind a firewall/proxy preventing connection to RF Explorer License Server.

Privacy policy is available online at www.rf-explorer.com/privacy

Disclaimer

You agree that the software is provided as-is, without warranty of any kind (either express or implied). Accordingly, we make no warranties, representations or guarantees, either express or implied, and disclaims all such warranties, representations or guarantees, including, without limitation, the implied warranties of merchantability and fitness for any particular purpose, as to: (a) the functionality or non-infringement of program, any modification, a combined work or an aggregate work; or (b) the results of any project undertaken using the program, any modification, a combined work or an aggregate work. In no event shall the contributors be liable for any direct, indirect, incidental, special, exemplary, consequential or any other damages (including, but not limited to, procurement of substitute goods or services; loss of use, data, or profits; or business interruption) however caused and on any theory of liability, whether in contract, strict liability, or tort (including negligence or otherwise) arising in any way out of the use of the program, even if advised of the possibility of such damages. You hereby waive any claims for damages of any kind against contributors which may result from your use of the firmware.